



TROAX CAGE



PROTECTING PEOPLE, PROPERTY, AND PROCESSES.

A close-up photograph of a heavy-duty metal hinge mounted on a dark, textured frame. The hinge is made of polished metal and features four screws, two on each side. The screws have circular logos with the letters 'FAM' and '0343'. The hinge is shown in a slightly open position, revealing the internal rollers. The background is a blurred indoor setting with a window.

**QUICK AND EASY
INSTALLATION**

**270° OPENING
OF BOTH DOORS**

**OUTDOOR AND
INDOOR USE**

**MODULAR AND
FLEXIBLE**

FF
FO
DI
AI
EI

**SAFETY IS
ABOUT BEING
ONE STEP
AHEAD.**

FROM 200 MM, UP TO THE INFINITY.

Troax Cage is a flexible and modular construction, and all depths are possible—it can even be tailored from 200 mm up to the infinity. Also, depth can be extended when needed.

It is available in six standard sizes and it is built up using UX 450 mesh panels. These panels can easily be modified on-site if your application should change.

STANDARD CAGE DIMENSIONS

Height (mm)	Width (mm)	Depth (mm)
2,200	1,200	1,200
2,200	2,200	1,200
2,200	2,200	2,400
2,200	2,200	3,600
2,200	2,200	4,800
2,200	2,200	6,000

With the Extension kit, it is possible to add depth to the cage.

Mesh size: 50×50 mm, tube 30×20 mm, wire 3×3,75 mm.

As standard lock option, you can choose between padlock, ASSA or Euro cylinder.

TROAX IS PROUD TO BE THE MARKET LEADER WITHIN OUR FIELD, AND FOR MORE THAN 60 YEARS WE HAVE LET OUR CUSTOMERS LEAD THE WAY TOWARDS MORE INTELLIGENT PRODUCTS TO PROTECT PEOPLE, PROPERTY, AND PROCESSES.



FLEXIBLE SOLUTIONS. HIGH SECURITY.

Troax Cage is a quick and easy anti-theft solution, suitable for warehouses or on construction sites. Its freestanding design and construction makes it particularly suitable for storing hazardous materials and protecting against theft or vandalism.

The sturdy mesh panels of the cage allows great visibility and control over the stored items.

Troax Cage is easy to assembly and can be used for both temporary and permanent installations. A double door of 1,000+1,200 mm allows an easy access for forklifts, and the unique design of the hinge enables a 270 degrees opening of both doors.

The mesh panels are available in both grey RAL 7037 for indoor use, and Hot Dip Galvanized finish, which makes it ideal for outdoor use.

**FREESTANDING.
FOR ANY
DIMENSION
AND ANY
ENVIRONMENT.**





MAKING YOUR WORLD SAFE



Troax Inc.

1410 Donelson Pike | Suite B-20 | Nashville, Tennessee | 37217 | USA
Phone: +1 615.730.7581 | Fax: +1 615.730.7583

www.troax.com/us